

Jumboweigher

Features and benefits:

- Large bright LED display
- High accuracy
- Aluminium housing
- Power saving mode
- Push button tare
- Hold function
- Large keys make operation simple even when wearing gloves

The Jumboweigher crane scale is a popular choice among steel service centres and other heavy industrial applications because it is a cost-effective alternative to its more expensive rivals, yet a far safer option over low-cost crane weighers.

The Jumboweigher series of crane scales offer high capacity, quality, accuracy and safety at low capacity prices. They are utilised worldwide in a variety of manufacturing and industrial applications.


As with all Straightpoint products, each Jumboweigher crane scale receives superior electronics, excellent build quality, certified calibration and proof testing. The heavy duty crane scale is extremely accurate, manufactured from quality materials, and features a high-strength aluminium alloy outer housing.

Each unit is equipped with a large and bright LED display that can be easily read, even in direct sunlight. The simple to use remote features oversized buttons, enabling use with gloved hands, providing control of tare and hold functions.

Battery charging intervals are extended by the standby power-saving mode, as well as the automatic shut off feature. As with all Straightpoint products, each Jumboweigher is safety tested and is supplied with certification of calibration and proof testing.

When looking for a high-quality, cost-effective crane scale and are unwilling to give up features and safety, look no further than the Jumboweigher crane scale from Straightpoint.





Part Numbers			
SP	JW5T	JW10T	JW20T
Crosby	2789033	2789031	2789032
Capacity	5000kg 11000lb	10000kg 22000lb	20000kg 44000lb
Resolution	2kg 5lb	5kg 10lb	10kg 20lb
Units		kg lb	
Weight	18kg 40lb	29kg 64lb	75kg 165lb
Safety Factor		5:1	
Battery Type		Internal rechargeable	
Battery Life		20hrs	
Display Type		30mm or 1.18" LED	
Operating Temp		-10°C to +40°C or 14°F to 104°F	
Accuracy		±0.1% of full scale	
Protection		IP54 or NEMA3	
Dimension A	195 7.68"	195 7.68"	355 13.98"
Dimension B	255 10.04"	255 10.04"	230 9.06"
Dimension C	180 7.09"	180 7.09"	165 6.50"
Dimension D	715 28.15"	780 30.71"	1115 43.90"
Dimension E	72 2.83"	90 3.54"	140 5.51"
Dimension F	90 3.54"	110 4.33"	230 9.06"
Dimension G	36 1.42"	50 1.97"	70 2.76"
Dimension H	595 23.43"	660 25.98"	980 38.58"