Proud to serve the following industries:

Oil, Gas and Petrochemical

Intrinsically safe load monitoring systems approved for use in hazardous areas 0,1 & 2

All items in stock







123 Proxima Park, Waterlooville, Hants, PO7 3DU Tel: +44(0)2392 484491 2801 Dawson Road, Tulsa, OK 74110 USA Tel: +1 (918) 834-4611

> straightpoint.com sales.sp@straightpoint.com thecrosbygroup.com



Part No: SU3982 - 9992542



ATEX/IECEx Load Monitoring Product Information

straightpoint.com





Straightpoint's expanded range of ATEX products

Straightpoint, manufacturers of force measurement, load monitoring and suspended weighing load cell equipment have launched ATEX and IECEx versions of its most popular wireless products the Radiolink plus, compression loadcells, Loadshackles, Loadpins and the TIMH running line tensiometer.

Zone 0, 1 and 2 hazardous area classification and conforming with the directive - 2014/34/EU.

This range of products connect seamlessly with the Crosby | Straightpoint ATEX Handheld plus which has a massive wireless range of 500m/1640ft, or they may be connected to **INSIGHT** software in a safe area.

All boast classification in the three zones, including 0 (an area in which an explosive gas atmosphere is present continuously or for long periods) below the hook force measurement technology.

The criteria of ATEX and IECEx are broadly similar, although the former is widely accepted throughout Europe, while the latter is required in many other global markets.

A separate guarantine area has been created at Straightpoint's UK manufacturing plant and all production personnel have been specially trained in the assembly of the explosion proof units.

Straightpoint's ATEX and IECEx Load Monitoring Instruments have been stringently tested and certification issued by CSA, a key driver of the ATEX and IECEx certification movement.



Wireless Tension Load Cell

on and o shore oil, gas and chemical industries.

An intrinsically safe load cell, this new version of the

bestselling Radiolink plus is capable of both weighing and

dynamic load monitoring in hazardous environments such as

Available from stock in capacities from It to 300t,

The Straightpoint Wireless Compression Load Cell is

Machined from high grade stainless steel, providing

excellent strength and corrosion resistance it offers

wireless free weighing and centre of gravity

measurement with our software solutions.

taking the heavy lift, o shore and structural weighing

constructed from highquality aircraft grade aluminium

and featuring an advanced internal design structure.

Wireless Compression

Load Cell

industry by storm.

Wireless Running Line Tensiometer

Straightpoint TIMH range is a Running Line Tensiometer built with dockside, marine, o shore, towage and salvage applications in mind.

Available ATEX and IECEx approved to Ex ia II T4 Ga for use in zones 0, 1 and 2 hazardous environments (gas) and is designed for wire rope tension monitoring in applications with challenging hazardous areas.

All approved for use in hazardous zones 0, 1 and 2

For use in hazardous environments Straightpoint ATEX/IECEx load monitoring systems are designed for the on and o[°]shore oil and gas, chemical and other industries with challenging hazardous areas.

Wireless Load Pin



Wireless Handcontrol and Software

SW-HHP-ATEX handheld controller for use in hazardous area or INSIGHT wireless Windows PC software package in the safe area.

Our wireless data logging software allows for simultaneous control, display and real time data logging of up to 100 Straightpoint telemetry load cells. Logged data is captured in a .csv file format and opens in MS Excel providing easy visual presentation, analysis of logged data, and simple test certificate generation.

Available from stock in capacities 3.25t to 500t and available up to 4000t. A Straightpoint Loadshackle provides the perfect solution to for lower headroom applications our wireless load shackles are also the first choice for service trucks and riggers in the oilfields.

It is manufactured from Crosby's industry leading 2130 Carbon and 2140 Alloy Bolt Type Anchor Shackles (3.25te 120te).

Often a customised solution they are manufactured from high tensile stainless steel and are normally supplied complete with an anti-rotation plate.



Wireless Loadshackle



Making the oil and gas industry a safer place

Explosive atmospheres in the workplace can be caused by flammable gases, mists or vapours or by combustible dusts. Explosions can cause loss of life and serious injuries as well as significant damage.

Lifting and hoisting operations are among the major causes of fatalities and serious incidents.

In the oil and gas centres of Scotland, Scandinavia and the gulf states of the USA the Crosby | Straightpoint range of ATEX/IECEx products are the industry safe standard for weighing and dynamic load monitoring applications.

A rugged handheld display with easy to change AA batteries, no external antennae and industry leading wireless range allow the operator to stand at a safe distance in the most hazardous areas up to zone 0.





straightpoint.com